No. 9000172

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

University of Illinois

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Bell'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D.C. *this* 29th *day of* May *in the year of our Lord one thousand nine hundred and* ninety-two.

Attest:

Kenneth Evans

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Edward Madigan

Secretary of Agriculture

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) *(as it is to appear on the Certificate)*
University of Illinois

2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.
LN 85-874

3. VARIETY NAME
Bell

4. ADDRESS *(street and no. or R.F.D. no., city, state, and ZIP)*
Illinois Agricultural Experiment Station
1301 W. Gregory
211 Mumford
University of Illinois
Urbana, IL 61801

5. PHONE *(Include area code)*
217-333-0240

FOR OFFICIAL USE ONLY

PVPO NUMBER
9000172

FILING
Date: May 14, 1990
Time: ☐ A.M. ☒ P.M.

FEES RECEIVED
Filing and Examination Fee: $ 2150.00
Date: May 14, 1990
Certificate Fee: $ 250.00
Date: May 12, 1992

6. GENUS AND SPECIES NAME
Glycine max (L.) Merr.

7. FAMILY NAME *(Botanical)*
Leguminosae

8. CROP KIND NAME *(Common Name)*
Soybeans

9. DATE OF DETERMINATION (RWS)
~~August 1, 1989~~
00/00/84

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*

11. IF INCORPORATED, GIVE STATE OF INCORPORATION

12. DATE OF INCORPORATION

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS

PHONE *(Include area code)*:

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED *(Follow INSTRUCTIONS on reverse)*

- a. ☒ Exhibit A, Origin and Breeding History of the Variety
- b. ☒ Exhibit B, Novelty Statement.
- c. ☒ Exhibit C, Objective Description of Variety.
- d. ☒ Exhibit D, Additional Description of Variety.
- e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.
- f. ☒ Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office _____.
- g. ☒ Filing and Examination Fee ($2,150) made payable to "Treasurer of the United States."

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See section 83(a) of the Plant Variety Protection Act.)*
☒ YES *(If "YES," answer items 16 and 17 below)* ☐ NO *(If "NO," skip to item 18 below)*

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☒ YES ☐ NO

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
☒ FOUNDATION ☒ REGISTERED ☒ CERTIFIED

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
☐ YES *(If "YES," through* ☐ Plant Variety Protection Act ☐ Patent Act. Give date: _____.)
☒ NO

19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?
☒ YES (If "YES," give names of countries and dates) August, 1989 ~~1988~~ 16 April 1992
☐ NO

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE
Don Holt	Director, AES	May 1, 1990
SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

SOYBEAN

'Bell'

14a. Exhibit A. Origin and Breeding History

Pedigree: Fayette x LN80-10398

Bell originated as an F_4 plant selection from the cross of Fayette x LN80-10398 made at the Illinois Agricultural Experiment Station. LN80-10398 is a selection from the cross of Century x Land O Lakes Max. The F_2 and F_3 generations were advanced by single-seed descent at the Puerto Rico Agricultural Experiment Station. Bell was evaluated as LN85-874 in Illinois for resistance to races 3 and 4 of soybean cyst nematode, (Heterodera glycines Ichinohe) in the greenhouse in 1984 and for agronomic performance during 1985-88. It was evaluated in the SCN Regional Tests-Northern States in 1987-88 and Uniform Soybean Tests-Northern States; Preliminary Test I in 1988.

Bell appears stable and uniform through five generations of selfing and during seed increase program for other characteristics.

14b. Exhibit B: Novelty Statement

Bell is most similar to Sibley. Bell differs from Sibley in being susceptible to Phytophthora rot (race 1), resistant to soybean cyst nematode (races 3 and 4), purple flowers, brown pubescence, and shiny yellow coat with black hila while Sibley is resistant to Phytophthora rot (race 1), susceptible to soybean cyst nematode (races 3 and 4), has white flower, gray pubescence, and dull yellow seed coat with yellow hila.

FORM APPROVED: OMB NO. 0581-0055

EXHIBIT C
(Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
University of Illinois	LN 85-874	Bell

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*
Illinois Agricultural Experiment Station
1301 W. Gregory
211 Mumford, University of Illinois, Urbana, IL 61801

FOR OFFICIAL USE ONLY
PVPO NUMBER
9000172

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]).

1. SEED SHAPE:

[2]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

2. SEED COAT COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[2] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

4. SEED SIZE: (Mature Seed)

[1][8] Grams per 100 seeds

5. HILUM COLOR: (Mature Seed)

[6] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

6. COTYLEDON COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green

7. SEED PROTEIN PEROXIDASE ACTIVITY:

[2] 1 = Low 2 = High

8. SEED PROTEIN ELECTROPHORETIC BAND:

[2] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

9. HYPOCOTYL COLOR:

[4] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

10. LEAFLET SHAPE:

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

4

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')
3 = Dark Green ('Gnome'; 'Tracy')

13. FLOWER COLOR:

[2] 1 = White 2 = Purple 3 = White with purple throat

14. POD COLOR:

[1] 1 = Tan 2 = Brown 3 = Black

15. PLANT PUBESCENCE COLOR:

[2] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')
3 = Bushy ('Gnome'; 'Govan')

17. PLANT HABIT:

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')
3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

[0][4] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V
9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

[0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

[0] Bacterial Blight *(Pseudomonas glycinea)*

[0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

[1] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

[0] Race 1 [0] Race 2 [0] Race 3 [0] Race 4 [0] Race 5 [ ] Other *(Specify)* _____

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

[1] Brown Stem Rot *(Cephalosporium gregatum)*

[0] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

5

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

[0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

[1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [0] Race 5 [0] Race 6 [0] Race 7

[0] Race 8 [0] Race 9 [ ] Other *(Specify)* _____

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

[0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

[0] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

[0] Race 1 [0] Race 2 [2] Race 3 [2] Race 4 [ ] Other *(Specify)* _____

[0] Lance Nematode *(Hoplolaimus Colombus)*

[0] Southern Root Knot Nematode *(Meloidogyne incognita)*

[0] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[0] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[0] Reniform Nematode *(Rotylenchulus reniformis)*

[ ] OTHER DISEASE NOT ON FORM *(Specify):* _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[1] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Sibley	Seed Coat Luster	Elgin 87
Leaf Shape	Sibley	Seed Size	Sibley
Leaf Color	Sibley	Seed Shape	Sibley
Leaf Size	Sibley	Seedling Pigmentation	Elgin 87

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
Bell (Submitted)	149	2.3	96	7	13	40.5	21.0	17.9	2.5
Sibley (Name of Similar Variety)	144	2.6	99	8	10	40.1	21.6	16.8	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



14d. Exhibit D. Additional Description of Variety

Bell is classified as Group I maturity (relative maturity 1.9) averaging 8 days earlier than Elgin and 5 days later than Sibley. It is best adapted to approximately 41 to 45° lat. At non-infested locations Bell has 3% higher yield than Sibley and has outyielded CN 210, the only other early scn-resistant variety by 10%. At locations with soybean cyst nematodes, Bell has yielded 130% higher than Sibley.

14e. Exhibit E. Statement of the Basis of Applicants Ownership

Bell was developed at the University of Illinois, Illinois Agricultural Experiment Station by C. D. Nickell, an employee in the Department of Agronomy.